## Pain Disability Questionnaire

The Pain Disability Questionnaire is used in Chapter 3 Pain (6th ed, 43-44) and Chapter 17 Spine (6th ed, 599-600). The format provided utilizes a centimeter scale to score, however the size in the Guides does not correspond with the same scale. An alternative approach (illustrated below) provides easily administered and scored numerical scales. Patient Name Instructions: These questions ask your views about how your pain now affects how you function in everyday activities. Please answer every question and mark the ONE number on EACH scale that best describes how you feel. 1. Does your pain interfere with your normal work inside and outside the home? Work normally Unable to work at all 0 ------ 2 ------ 3 ------ 5 ------ 6 ------ 7 ------ 8 ------ 9 ------ 10 2. Does your pain interfere with personal care (such as washing, dressing, etc)? 3. Does your pain interfere with your traveling? Travel anywhere I like Only travel to see doctors 0 ------ 2 ------ 3 ------ 4 ------ 5 ------ 6 ------ 7 ------ 8 ------ 9 ------ 10 4. Does your pain affect your ability to sit or stand? No problems Cannot sit /stand at all 0 ------ 2 ------ 3 ------ 4 ------ 5 ----- 6 ----- 7 ----- 8 ------ 9 ------ 10 5. Does your pain affect your ability to lift overhead, grasp objects, or reach for things? Cannot do at all 0 ----- 1 ----- 2 ----- 3 ----- 5 ----- 6 ----- 7 ------ 8 ------ 9 ------ 10 6. Does your pain affect your ability to lift objects off the floor, bend, stoop, or squat? No problems Cannot do at all 0 ------ 1 ------ 2 ------ 3 ------ 5 ------ 6 ------ 7 ------ 8 ------ 9 ------- 10 7. Does your pain affect your ability to walk or run? No problems Cannot walk/run at all 0 ------ 2 ------ 3 ------ 4 ------ 5 ------ 6 ----- 7 ----- 8 ------ 9 ------ 10 8. Has your income declined since your pain began? No decline Lost all income 0 ----- 2 ----- 3 ---- 4 ---- 5 ----- 6 ----- 7 ----- 8 ----- 9 ----- 10 9. Do you have to take pain medication every day to control your pain? No medication needed On pain medication throughout the day 0 ------ 1 ------ 2 ------ 3 ------ 4 ------ 5 ------ 6 ------ 7 ------ 8 ------ 9 ------ 10 10. Does your pain force your to see doctors much more often than before your pain began? Never see doctors See doctors weekly 0 ----- 2 ------ 3 ------ 4 ------ 5 ----- 6 ---- 7 ----- 8 ----- 9 ----- 10 11. Does your pain interfere with your ability to see the people who are important to you as much as you would like? 12. Does your pain interfere with recreational activities and hobbies that are important to you? No interference 0 ——— 2 ——— 3 ——— 4 ——— 5 ——— 6 ——— 7 ——— 8 ——— 9 ——— 10 13. Do you need the help of your family and friends to complete everyday tasks (including both work outside the home and housework) because of your pain? 14. Do you now feel more depressed, tense, or anxious than before your pain began? 15. Are there emotional problems caused by your pain that interfere with your family, social and or work activities? No problems 0 ----- 2 ----- 3 ----- 4 ----- 5 ----- 6 ---- 7 ---- 8 ---- 9 ----- 10

Anagnostis C, Gatchel RJ, Mayer TG. The Pain Disability Questionnaire: A New Psychometrically Sound Measure for Chronic Musculoskeletal Disorders. *Spine* 2004; 29 (20): 2290-2302.